PIXMA MX892

Wireless Office-All-In-One Printer

Setup Sheet

Version 1.2

Print • Copy • Scan • Fax

Superior Resolution and Speed for Wireless[1] Home Office Printing

- AirPrint Enabled! Print wirelessly from your iPhone®, iPad® or iPod® touch directly to your PIXMA MX892.[2]
- Fully-integrated 35-sheet auto duplex document feeder for rapid document copying, scanning and faxing
- Full HD Movie Print turns your favorite HD movie clips captured with your compatible Canon EOS Digital SLR or PowerShot cameras into beautiful prints[3]
- The Dual Function Panel feature provides useful function buttons that transform into a keypad in fax mode for easier operation

ENERGY STAR

FEATURES

SPEED & QUALITY

- 9600dpi Maximum[4]
- 1pl Technology
- 5 Individual Inks
- Approx. 12.5 ipm Black / 9.3 ipm Color ESAT[5]
- Approx. 20 SEC 4" x 6" Photo[6]
- SCAN 2400×4800dpi[7]
- ChromaLife 100+[8]

EASE OF USE

- 3.0" (7.6cm) LCD
- Automatic 2-Sided to 2-Sided
- Auto Duplex Print
- Duplex ADF
- 2-way
- Auto Photo Fix II
- Full HD Movie Print
- Dual Function Panel
- Auto Scan Mode[9]

CONNECTIVITY

- AirPrint
- Wi Fi CERTIFIED[1]
- Google Cloud Print Ready[10]
- Ethernet
- FAX
- Memory Card[11]
- Camera Phone Printing[12,13]
- Mobile Printing[14]
- PIXMA Cloud Link[15]

Canon

PIXMA MX892
Wireless Office All-In-One Printer

TECHNICAL SPECIFICATIONS

PRINT

Print Features
AirPrint, Auto Duplex Print, Auto Photo Fix II, Auto Sheet Feeder, Borderless Printing[16], Dual Function Panel, Document Printing, Full HD Movie Print, Google Cloud Print, Photo Printing, Template Print

Print Speed[6,7]
4" x 6" Borderless Photo: Approx. 20 seconds
ESAT: Color: 9.3 ipm / Black 12.5 ipm

Number of Nozzles
Black: 512 / Color: 4,096 / Total: 4,608

Picoliter Size (Color)
1, 2 and 5

Print Resolution[5]
Color: Up to 9600 x 2400 dpi
Black: Up to 600 x 600 dpi

Paper Sizes
4" x 6", 5" x 7", 8" x 10", Letter, Legal, U.S. #10 Envelopes

Media Compatibility
Plain: Plain Paper, High Resolution Paper; **Super High Gloss:** Photo Paper Pro Platinum **Glossy:** Photo Paper Plus Glossy II, Photo Paper Glossy; **Semi-Gloss:** Photo Paper Plus Semi-Gloss; **Matte:** Matte Photo Paper; **Fine Art:** Canon Fine Art Paper "Photo Rag" ™; **Envelope:** U.S.# 10 Envelope

Paper Tray Capacity (Plain Paper)
Auto Sheet Feeder: 150 Sheets Cassette: 150 Sheets ADF: 35 Sheets

COPY

Copy Features
Auto Duplex Document Feeder, AE (Auto Exposure / Intensity) copy, Auto Duplex Copy, Borderless, Fit-to-Page, Gutter Shadow Correction Copy, Image Repeat, Intensity, Multiple Copy: 1-99 pages, Preset Copy, Ratios, Reserve Copy, Sort (ADF), Zoom

Copy Speed[5]
ESAT: Color: 7.4 ipm

Reduction/Enlargement
25% – 400%

SCAN

Scan Features
Auto Document Fix, Auto Duplex Scan, Auto Scan Mode[10], Network Scan, Push Scan, Scan to Memory

Scanning Element
Contact Image Sensor (CIS)

Scanning Resolution[7]
2400 x 4800 dpi (Optical), 19,200 x 19,200 dpi (Interpolated), ADF: 600 x 600 dpi (Optical)

Maximum Color Depth
48-bit internal/24-bit external

Maximum Document Size
Flatbed: 8.5" x 11.7" ADF: 8.5" x 14"

FAX

FAX Features
Answering Machine Connectivity, Caller Rejection, Check RX Fax Info., Fax Reception Reject, Fax Number Re-Entry, F/T Changing(manual), Group Dialing, Memory Transmission, Redial, Remote Reception

Modem Speed (Up to)[17]
33.6 Kbps (Super G3 color FAX)

Transmission Speed[18]
Black: Approx. 3 sec per page Color: Approx. 1 min per page

Memory Capacity[19]
Approx. 250 Pages

Coded Speed Dial
100 Locations

GENERAL

Standard Interface
Wireless LAN (IEEE 802.11b/g/n)[1]
Ethernet
USB 2.0 Hi-Speed
Card Slots (See Memory Card Support)
PictBridge (Cable not included)
Bluetooth® v2.0 (Optional)[13]

Memory Card Support[11]
SD™ Memory Card
SDHC™
MultiMediaCard® (v4.1)
MultiMediaCard® Plus (v4.1)
miniSD™ Card
miniSDHC™ Card
RS-MMC™ (v4.1)
microSD™ Card
microSDHC™ Card
CompactFlash® Card
Microdrive®
Memory Stick®
Memory Stick PRO™
Memory Stick Duo™
Memory Stick PRO Duo™
Memory Stick Micro™
xD-Picture Card ®
xD-Picture Card ®(Type M)
xD-Picture Card ® (Type H)

General Features
AirPrint, Google Cloud Print, Wireless Printing, 3.0" LCD, Dual Function Panel, Dual Color Gamut Processing Technology, Ethernet, Full HD Movie Print, Fully Integrated Auto Duplex ADF, PictBridge, Mobile Printing, Quick Start, PIXMA Cloud Link

OS COMPATIBILITY[20]

Windows® 7, Windows 7 SP1, Windows Vista, Windows Vista SP1/SP2, Windows XP SP2/SP3 32-bit
Mac OS® X 10.5.8, 10.6, 10.7

SOFTWARE (WINDOWS/MAC)

Setup Software & User's Guide CD-ROM
PIXMA MX892 Printer Driver
Easy-PhotoPrint EX
Easy-WebPrint EX[21]
MP Navigator EX
Solution Menu

WARRANTY[22]

1-year limited warranty with InstantExchange Program. 1-year toll-free technical phone support.

BOX CONTENTS

PIXMA MX892 Wireless Office All-In-One Printer
Document Kit:
- Cross Sell Sheet
- Getting Started
- Important Information Sheet
- Network Setup Troubleshooting
- Setup Software & User's Guide CD-ROM
- Warranty Card

Ink Tanks:
- PGI-225 (Pigment Black)
- CLI-226 (Black/Cyan/Magenta/Yellow)

Power Cord
Print Head
Sample Media - PP-201, 3 sheets
Telephone Line Cable

PIXMA MX892

Wireless Office All-In-One Printer

ORDERING INFORMATION

MODEL NUMBER	DESCRIPTION	ITEM NUMBER	UPC CODE
PIXMA MX892	Wireless Office All-In-One Printer	5786B002	0 13803 14307 2
COMPATIBLE INK			
PGI-225 Black Twin PK	2 Pigment Black Ink Value Pack	4530B007	6 60685 02313 0
PGI-225PGBK / CLI-226 4 PK	PGBK/C/M/Y Value Pack	4530B008	6 60685 02314 7
CLI-226 Color 4PK Combo	BK/C/M/Y + PP-201 Combo Pack	4546B007	6 60685 02317 8
PGI-225 PGBK	Pigment Black Ink Tank	4530B001	0 13803 12426 2
CLI-226 C	Cyan Ink Tank	4547B001	0 13803 12430 9
CLI-226 M	Magenta Ink Tank	4548B001	0 13803 12428 6
CLI-226 Y	Yellow Ink Tank	4549B001	0 13803 12431 6
CLI-226 BK	Black Ink Tank	4546B001	0 13803 12427 9
ACCESSORIES			
BU-30	Bluetooth Adapter	2553B002	0 13803 09069 7

FOR REFERENCE ONLY



PALLET INFORMATION

ORIGIN	
Country of Origin	Thailand
Tariff Number	8443310000
PRODUCT INFORMATION	
Individual Printer Dimensions	19.4” (L) x 17.7” (W) x 8.6” (H)
Individual Box Dimensions	22.4” (L) x 11.6” (W) x 21.9” (H)
Weight of Individual Printer	25.7 lbs.
Weight of Individual Box	33.1 lbs.
PALLET INFORMATION	
Number of Boxes per Pallet	12
Dimensions (Pallet and Boxes)	48.0” (L) x 40.0” (W) x 49.1” (H)
Dimensions without Pallet	35.1” (L) x 44.8” (W) x 43.6” (H)
Loaded Pallet Weight	447.2 lbs.
DATE	
Availability	April 2012

Specifications are subject to change without notice. All viewscreen and printer output images are simulated.

1 Wireless printing requires a working Ethernet network with wireless 802.11b/g or n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
2 Printer firmware update may be necessary for AirPrint function. Certain exceptions may apply. A PC running Windows XP or later or A Mac running OS 10.4.11 or later and USB cable required to perform firmware update. AirPrint functionality requires an iPad, iPhone 3GS or later, or iPod touch 3rd generation or later device running iOS 4.2 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base Station, or Time Capsule is not supported.
3 "Full HD Movie Print" is available from "MOV" movie files created by Canon digital cameras. From PC, or Mac with Intel® processor. Requires Canon ZoomBrowser EX 6.5 or later, or Canon ImageBrowser 6.5 or later.
4 Resolution may vary based on printer driver setting. Color ink droplets can be placed with a horizontal pitch of 1/9600 inch at minimum.
5 "ISO/IEC 24734, 24735 define the default print and copy speed measurement methods. Print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734, excluding time to print the first set. Copy speed is the average of FCOT, ISO/IEC 24735 Annex D. ADF copy speed is the average of ESAT in General Performance Test for the default simplex mode, ISO/IEC 24735, excluding time to copy the first set. See our **www.usa.canon.com/ipm** for additional details."
6 Photo print speeds are based on the standard mode driver setting using photo test pattern(s) and select Canon Photo Paper. Print speed is measured as soon as first page begins to feed into printer and will vary depending on system configuration, interface, software, document complexity, print mode, types of paper used and page coverage. See **www.usa.canon.com/printspeed** for additional information.
7 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
8 Based on accelerated testing by Canon in dark storage under controlled temperature, humidity and gas conditions, simulating storage in an album with plastic sleeves. Canon cannot guarantee the longevity of prints; results may vary depending on printed image, drying time, display/storage conditions, and environmental factors. See **www.usa.canon.com/chromalife100plus** for additional details.
9 For network users, Auto Scan Mode is available only when scanning at a computer using MP Navigator EX software and selecting the 1-click feature then "Save to PC".
10 Requires an Internet connection. Google Cloud Print function available April, 2012 or later. Printer firmware update may be necessary for Google Cloud Print function. Certain exceptions may apply. A PC running Windows XP or later or A Mac running OS 10.4.11 or later and USB cable required to perform firmware update.
11 Compatible memory cards include SD™ Memory Card, SDHC™, MultiMediaCard® (v4.1), MultiMediaCard® Plus (v4.1), CompactFlash® Card, Microdrive®, Memory Stick®, Memory Stick PRO™, Memory Stick Duo™ and Memory Stick PRO Duo™. The following can be used with the addition of a special adapter sold separately: miniSD™ Card, miniSDHC™, microSD™ Card, microSDHC™, RS-MMC™ (v4.1), Memory Stick Micro, xD-Picture Card®, xD-Picture Card® (Type M), and xD-Picture Card® (Type H).
12 Requires mobile phone equipped with PictBridge technology and a USB cable.
13 Requires mobile phone (or other device) equipped with Bluetooth v2.0 technology and optional Canon Bluetooth Unit BU-30. Bluetooth operation depends on the device and software version used. Operating distance is approx. 10 meters but may vary due to obstacles, radio signals, locations where radio interference occurs, magnetic fields from microwave ovens, device sensitivity and/or antenna performance.
14 Requires Canon Easy-PhotoPrint for iPhone app, available for free on the App Store, or Canon Easy-PhotoPrint for Android app available for free in the Android Market. Compatible with iPhone 3G, 3GS, 4, 4S, iPod touch and Android devices running Android OS 1.6 or later.
15 Requires an Internet connection.
16 Supported paper types for borderless printing are as follows: Photo Paper Plus Glossy II, Photo Paper Plus Semi-gloss, Photo Paper Glossy and Matte Photo Paper.
17 The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v.34 guidelines.
18 Black & white document fax transmission speed is based on default setting using ITU-T No.1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet. Actual
19 transmission speed vary depending on document complexity, fax setting at receiving end, and line conditions etc.
Page count is based on ITU-T No.1 chart or Canon FAX Standard Chart No.1.
20 System requirements vary by application.
21 Easy-WebPrint EX requires Internet Explorer 7 or 8 for Windows, Internet Explorer 9 for Windows Vista SP2 (or later) or Windows 7, or Safari 4.0 – 5.0 for Mac OS X v10.5 – 10.6.x.
22 Warranty programs are subject to certain conditions and restrictions. See **www.usa.canon.com/support** for details.

SERVICE & SUPPORT
World Class. Here at Home.

generation green
www.usa.canon.com/green

©2011 Canon U.S.A., Inc. Canon and PIXMA are registered trademarks of Canon Inc. in the United States and may be registered trademarks or trademarks in other countries. IMAGEANYWARE is a trademark of Canon. Microsoft, Windows, Windows Vista and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries. iPod, iPod touch, iPad, Macintosh and Mac are trademarks of Apple Inc., registered in the United States and other countries. iPhone is a trademark of Apple, Inc. The USB-IF logo is a trademark of Universal Serial Bus Implementers Forum, Inc. All other product and brand names are trademarks of their respective owners. As an ENERGY STAR® partner, Canon U.S.A., Inc. has determined that this product meets the ENERGY STAR® guidelines for energy efficiency.

Canon imageANYWARE
Compatible with Windows 7
CERTIFIED FOR Windows Vista®
Mac
Hi-Speed USB
b g WiFi n CERTIFIED
Wi-Fi PROTECTED SETUP
ENERGY STAR